

WWW.NANO-CERAMIC.COM THE NEXT GENERATION COATINGS



Automotive

What is NANO-CERAMIC Thin Film Coating?

NANO-CERAMIC Thin Film Coating is a revolutionary, ultradurable, ceramic clear-coating that provides superior scratch resistance and semi-permanent protection for all vehicle finishes, paints and exterior surfaces.



What makes NANO-CERAMIC Thin Film Coating so different?

NANO-CERAMIC Thin Film Coating is more than 4 times stronger than factory paint finishes and can absorb damage that would otherwise affect the appearance and integrity of your paint. This extremely durable ceramic coating reduces swirl marks and light scratches while protecting and preserving factory paint.



NANO-CERAMIC Thin Film Coating is completely resistant to acidic environmental substances like bird droppings, bug residue, acid rain, and tree sap, unlike your vehicle's factory paint, which can be permanently etched and damaged by these substances. NANO-CERAMIC Thin Film Coating provides advanced protective barriers to your vehicle's surfaces, maintaining both high-gloss and matte finishes.

What are the benefits of applying NANO-CERAMIC Thin film Coating?

NANO-CERAMIC Thin Film Coatings provides vehicles with a superior, near-permanent, clear coating that is resistant to chemical etching, harder than factory paint finishes, and able to greatly reduce swirl marks and fine scratches while leaving a superior, hydrophobic surface that is easier to clean and stays cleaner longer.

All vehicle materials can be treated with one of our NANO-CERAMIC Thin Film Coatings. Restore the color and shine to plastic trim with advanced hydrophobic and UV protection. Even chrome, aluminum, and other metals can have added protection, as our coatings can withstand temperatures of over 1500° F.



and contaminated.



produce a smooth and even surface.





Step 1 The surface layer of factory clear coat is damaged

Step 2 Decontamination and polishing the clear coat to

Step 3 Restoration of coating thickness with a superdurable layer of NANO-CERAMIC Thin Film Coating.

Thin Film Coating is available in different grades:




SIBC Gorilla Basecoat

- 2.5 Micron Basecoat
- Near-permanent protection.
- Especially recommended for soft clear coats and repainted vehicles.
- SIBC basecoat provides ultimate H9+++ hardness with an almost unremovable smooth finish ready to bond with any of our revolutionary protective coatings.
- Excellent Weather Resistance
- UV & Thermal Resistance



SIO3 Ultra Wet Look Gloss

- 8 Micron
- Reduce Scratches with H9+ Hardness
- Superb Hydrophobic Effect
- Excellent Weather Resistance
- UV & Thermal Resistance
- Enhanced Durabillity
- Up to 3 Years of protection on factory paint & a 1-Year Limited Warranty.
- 3-Year Limited Warranty if you follow our maintenance program (in combination with SIBC)



- 2.5 Micron HD (High Density)
- Reduce Micro-Scratches with H9++
 Hardness
- Superb Hydrophobic Effect
- Excellent Weather Resistance
- UV & Thermal Resistance
- Up to 5 Years of protection on factory paint & a 2-Year Limited Warranty
- 5-Year Limited Warranty if you follow our maintenance program (in combination with SIBC)



SIO1 Renew Gloss

- 4 Micron
- Renewed Shine with H9 Hardness
- Superb Hydrophobic Effect
- Excellent Weather Resistance
- UV & Thermal Resistance
- Enhanced Durability
- 1-Year Limited Warranty if you follow our maintenance program (in combination with SIBC)



SIO2 Safety Vision

- Seal the pores of glass, acrylic surfaces & mirrors
- Repels water for 30% better visibility in rainy conditions
- 2H Hardness (2 Micron)
- Hydrophobic: Water & Dirt repellent
- Lasts 6-12 months

3-Month Maintenance Cycle



SIPR Si-Nano Protect

- 0.5 Micron
- Use on Paint, Rims, Chrome, Plastic, Dashboard & Engine
- Easy to Apply: Spray, Wipe, Buff Off
- Apply to coated/uncoated cars
- Hydrophobic Effect
- Brings back original shine
- Anti-water spot protective layer
- Lasts up to 3 months with one application



SIFX Leather & Fabric

- Flexible and Breathable
- Superb Hydrophobic Effect
- Excellent Weather Resistance
- Up to 1 year of protection on fabrics and leather & a 6-Month Limited Warranty

3-Month Maintenance Cycle




SIVI Si-Nano Vision


- 0.5 Micron
- Apply to Windshields and Mirrors
- Can be used as a wiper fluid additive (2:100 dilution)
- Easy to Apply: Spray, Wipe, Buff Off
- Apply to coated/uncoated cars
- Hydrophobic Effect
- 30% Better visibility in rainy conditions
- Anti-water spot protective layer
- Lasts up to 3 months with one application

Ultimate Protection Plan

Standard Protection Plan











Diamond HD Mirror Gloss (can also be used for matte paints)

NANO-CERAMIC®

THE NEW GENERATION COATINGS

Leather, Fabric & Canvas Protection
















Restores plastic rim with UV protection.



Deep Black Tire Coating



NANO-CERAMIC®

NANO-CERAMIC.COM

Warranty

NANO-CERAMIC quality assurance and reliability are guaranteed with limited warranties of 1 year on SIO1, 3 years on SIO3, and 5 years on SIO5 (Full-body Kit treatments). SIO3 and SIO5 have to be applied with SIBC Gorilla as a base.

The limited product warranties apply to automotive applications that have been professionally installed on painted surfaces only, and cover discoloration, peeling, cracking, and delamination.

All claims caused by improper maintenance will not be honored. Warranties are only valid when registered by one of our approved detailers via the e-Warranty Registration form on our website.

Recommended Maintenance Program

Washing

- For best results, use SHRE Pure Shine Shampoo on a weekly basis to avoid excessive contamination build up. Conventional shampoos contain waxes and polymers what will reduce the water beading effect.
- Avoid washing in direct sunlight to minimize streaking and water spotting.
- Wash from the top down with a microfiber towel, leaving the dirtiest sections for last to avoid cross-contamination and swirl marks.
- Use separate buckets for soap and rinse water.
- Thin Film coated cars can be cleaned with pressurewashers at 80-120 bar.

Drying

- Always dry the car completely, and never leave it to "air" dry. Water contains minerals that may leave deposits, creating water spots.
- Please use our quality microfiber drying towel for best results, and avoid aggressive wiping, allowing the material to absorb the water.
- Drying is recommended after every rain.

Prevent Water Spots

Once the nano-layer has been applied, we strongly recommend using Si-Nano • Protect to make an extra water spot preventive layer, and we suggest repeating this every 3 months to avoid mineral deposits that can damage the nano layer.

The Removal of Water Spots and Stains

- Do not use aggressive chemical products to try to polish the coating or eliminate surface contamination.
- Do not use excessive force to remove stains, bird droppings, or tree sap.
- After washing with our SHRE Pure Shine Shampoo, apply WSRE Water Spot Remover, and let it soak for 1 hour. Afterwards, rinse with clean water.
- If stains or spots are still visible, repeat the steps above or use our nonscratching SCRUB cleaner with a microfiber towel.
- Clean the car with SHRE Pure Shine Shampoo and dry the car.
- Clean with Sterile CLEAN and apply SIPR Si Nano Protect / SIVI Si-Nano Vision • as the last step to create a protective (glossy) hydrophobic layer as a final touch.



Cleans the smallest pores to remove stubborn dirt and odors.

$\mathbb{N}/\mathbb{P}()$

Multi-Purpose Interior cleaner

| Product ID | : MPCL0500 16oz / MPCL5000 |
|-------------------|-------------------------------|
| Consumption | : +/- 0.017oz/ft ² |
| Used for | : All surfaces |
| Application field | : Interior use |

MPCL Multi-Purpose Cleaner cleans and protects all interior surfaces quickly and easily.

Just spray and wipe to clean and protect interior plastics, vinyl, leather, fabrics, rubber, metal, carbon fiber, wood, audio and video equipment, and even engine compartments.

MPCL Multi-Purpose Cleaner leaves a strong UV protectant to keep surfaces looking like new!

Using an advanced concentrated formula, it cleans the smallest pores to remove stubborn dirt and odors.

- Anti-bacterial
- Pleasant scent
- Anti-odor



1.3gal



Easy to apply: Spray, Wipe, & Buff Off



Anti-bacterial



Pleasant scent



Anti-odor

Applicator.



40100703



WSRE Water Spot and Stain Remover safely dissolves calcium and magnesium stains.

Scrub cleaner is the safe way to remove stubborn contamination from chrome and glass surfaces.

WSRE

Water Spot Remover Biodegr. & gentle on skin

| Product ID | : WSRE0250 8.5oz / WSRE1000 1L |
|-------------------|---|
| Consumption | : +/- 0.007oz/ft ² |
| Used for | : Hard surfaces |
| Application field | : Paint, glass, chrome, plastic, carbon fiber |

This biodegradable stain remover is made with a synergistic blend of environmentally friendly acids to boost cleaning performance and cost-savings. WSRE is suitable for use on glass, steel, porcelain, and many other materials.

- Anti-corrosive and safe to use on all hard surfaces. ٠
- Prevents mineral deposition and dissolves lime scale. ٠
- GHS label: NO health hazard label or acute toxicity
- Readily biodegradable (OECD) ٠
- Safe for all hard surfaces ٠
- Dissolves calcium and magnesium
- Reduces spotting & filming
- Stays cleaner longer ٠

Application: Wet the surface and wait 1 minute so the calcium and magnesium can dissolve. For stubborn buildup, you can use our SCRUB cleaner after this.



Safe for all hard surfaces

Non-corrosive



ەم ل

<u>_</u>

₩

Dissolves calcium and magnesium

Reduces spotting & filming

Stays cleaner longer

SCRUB

Scrub Cleaner Non-scratching

| Product ID | : SCRUB0250 8.5oz / SCRUB1 |
|-------------------|-------------------------------|
| Consumption | : +/- 0.008oz/ft ² |
| Used for | : Hard surfaces |
| Application field | : Paint, glass, chrome |

Pembersih pretreatment SCRUB adalah cara lembut untuk membersihkan permukaan kaca dan krom. Scrub Cleaner menggunakan bahan pemoles ultra-halus yang secara aman dan efektif menghilangkan endapan mineral atau kontaminan membandel lainnya. Cocok untuk digunakan pada kaca, chrome.



31000 32oz



Tidak menggores Aman digunakan pada kaca dan krom

Applicator

40100703

MOVIE SCAN QR CODE

CENERATION COATING

Steril cleans and prepares the ceramic layer for SIPR / SIVI use.



Pretreatment

| 7 | | |
|---|-------------------------|--|
| | pretreatment cleaner | |

| Product ID | :CLEAN0250 8.5oz / CLEAN1000 32oz |
|-------------------|---|
| Consumption | : +/- 2.5 - 3.2oz (standard car) |
| Used for | : Preparation cleaner to open surface pores |
| Application field | : Paint, glass, plastic, chrome, carbon fiber |

Steril pretreatment cleaner is a 100% sterile mixture that uses new technology to thoroughly prepare hard surfaces to form an enhanced and super-durable bond with our ceramic coatings.

- Makes surfaces much easier and guicker to clean and infiltrates the tiniest pores to create maximal grip for high-tech coating and sealing applications
- Degreases and prepares in a single step ٠
- Safe and economical to use •
- Won't discolor materials •



Applicator:



A hydrophobic, glossy ceramic sealer that protects coated and uncoated cars.

SIPR

Si-Nano Protect Ceramic sealer

| Product ID | :SIPR0250 8.5oz /SIPR1000 32 |
|-------------------|--------------------------------------|
| Thickness | : 0.5 Micron |
| Consumption | : +/- 0.6 -0.8oz (standard car) |
| Used for | : High gloss & water spot preventi |
| Application field | : Paint, plastic, chrome, carbon fib |

Si-Nano Protect forms a semi-permanent molecular bond with painted and nano-coated surfaces and is designed to prevent water spots, acting as a glossy protective layer that will last for multiple months with just one application.

- Makes surfaces much easier and quicker to clean while reducing the adhesion of dirt and dust.
- · Leaves a high-gloss surface behind that features an outstanding hydrophobic effect, staying cleaner longer.
- Cleaning intervals and the formation of water spots will be greatly reduced.
- · Can also be used on unlacquered plastic and chrome parts, making the product perfect for all automotive, motorcycle, and scooter applications.
- · Works great in engine compartments and to renew dashboard gloss.

Expected Life Duration up to 3 months

NANO-CERAMIC®

THE NEW GENERATION COATINGS

NANO-CERAMIC.COM





32oz

How to use:

• See page 18

tion ber



Easy to apply



Hydrophobic: Water & oil repellent



Anti-water spot



Easy to clean





High gloss



Engine & dash gloss & protection



Car & motorcycle gloss & protection



Perfect for dashboard gloss and engine protection with a powerful hydrophobic effect.

Repels water for 30% better visibility in rainy conditions.

HOW TO USE:

NANO-CERAMIC Si-Nano Protect, Steril & Shampoo

These products can be stored for up to 24 months (in a dry, temperature-stable, dark environment)

Consumption:

Appr. 0.6 -0.8oz for a standard size car. Not more than 2-3 trigger sprays per panel.

Ambient temperature: 41-86°F Avoid direct sunlight and/or high humidity.

IMPORTANT:

Before you use a NANO-CERAMIC product, please make sure you wear suitable protective gear. We always recommend using latex or nitrile gloves.

Applicator.



40100703

CLEANING

Clean all surfaces thoroughly with SHRE Shampoo, and use our Steril Pretreatment Cleaner as a last step to make sure that all residue and contamination is removed so the Si-Nano Protect can bind properly with the surface. Make sure that the surface is completely dry before application!

APPLICATION

Shake the bottle very well before use! Spray 2-3 times on a clean microfiber towel (start with small amounts; only a little product is necessary). Moisten all panels evenly. When applied correctly, you will see a light grey haze on the surface. Polish away the haze using a clean microfiber cloth. Using too much product can cause streaking.

CURING PERIOD

Immediately after polishing away the haze, the surface can be touched. At normal ambient temperature, the sealant is completely cured after approximately 10 minutes.

AFTERCARE

We strongly recommend using our SHRE Pure Shine Shampoo to reactivate the layer and clean at the same time, without leaving a film that could eliminate the hydrophobic effect that the Si-Nano Protect layer provides. Our reactivating shampoo is environmentally friendly.



Si-Nano Vision Ceramic sealer

| Product ID | :SIVI0250 8.5oz/SIVI1000 32oz |
|-------------------|--|
| Thickness | : 0.5 Micron |
| Consumption | : +/- 3oz (standard car) |
| Used for | : Clear vision & water spot prevention |
| Application field | : Car glass, acrylic |

Si-Nano Vision is an extremely high-tech ceramic sealer that is specially designed for coated and uncoated glass surfaces.

- Makes glass much easier and guicker to clean while drastically reducing the adhesion of dirt.
- Has an outstanding hydrophobic effect, so glass stays cleaner longer.
- · Reduces cleaning intervals and prevents the formation of water spots.
- Repels water for 30% better visibility in rainy conditions.

Expected Life Duration up to 3 months



How to use:

• See page 20

ention



Easy to apply

Hydrophobic: Water & oil repellent



Anti-water spot



Easy to clean



Stays cleaner longer



Better visibility for safe driving



HOW TO USE:

NANO-CERAMIC Si-Nano Vision, Steril & Shampoo

These products can be stored for up to 24 months (in a dry, temperature-stable, dark environment)

Consumption:

+/- 0.6 -0.8oz for standard size car or 1-2 trigger sprays per window.

Ambient temperature: 41-86°F Avoid direct sunlight and/or high air humidity.

IMPORTANT:

Before you use a NANO-CERAMIC product, please make sure you wear suitable protection gear. We always recommend using latex or nitril gloves.

Applicator:



40100703

CLEANING

Clean all surfaces thoroughly with SHRE Shampoo, and use our Steril Pretreatment Cleaner as a last step to make sure that all residue and contamination is removed so the Si-Nano Protect can bind properly with the surface. Make sure that the surface is completely dry before application!

APPLICATION

Shake the bottle very well before use! Spray 2-3 times on a clean microfiber towel (start with small amounts; only a little product is necessary). Moisten all panels evenly. When applied correctly, you will see a light grey haze on the surface. Polish away the haze using a clean microfiber cloth. Using too much product can cause streaking.

CURING PERIOD

Immediately after polishing away the haze, the surface can be touched. At normal ambient temperature, the sealant is completely cured after approximately 10 minutes.

AFTERCARE

We strongly recommend using our SHRE Pure Shine Shampoo to reactivate the layer and clean at the same time, without leaving a film that could eliminate the hydrophobic effect that the Si-Nano Protect layer provides. Our reactivating shampoo is environmentally friendly.

WINDSHIELD ADDITIVE

SIVI can also be used as a windshield washing fluid additive when diluted 2:100.

NWAS

Nano Wash Hydrophobic

Product ID :NWAS1000 32oz / NWAS5000 1.3gal :+/- 2.8 -4oz (standard car) Consumption Used for : Water spot protection **Application field** : Coated and uncoated cars

Nano Wash adds a glossy, super-hydrophobic layer while washing your car and cuts drying time by 80%.

- Can be used for hand-washing or in automatic car washes and is suitable for coated and uncoated cars.
- Premium grade, high-gloss shampoo, low-foaming to reduce drying stains.
- Features a built-in hydrophobic effect, so glass and paint stay cleaner longer.
- Cleaning intervals and the formation of water spots will be greatly reduced.
- Dries 80% faster, saving time and money.
- Super-hydrophobic surface angle >150°
- Dilute 1:50.

Hydrophobic effect lasts up to 4 weeks.

Dries 80% faster with less water spots and leaves a glossy shine and hydrophobic effect that lasts up to 4 weeks







Easy to apply by just washing your car



Super hydrophobic >150°



Anti-water spot





Easy to clean





Applicator:



40100703



Conventional car wash products contain polymers and chemical dyes that can eliminate the hydrophobic effect.

SHRE

Pure Shine Shampoo Multi-Purpose



| Product ID | :SHRE1000 32oz / SHRE5000 1.32gal |
|-------------------|--|
| Consumption | : +/- 0.6-0.8oz (standard car) |
| Used for | : Automatic or manual washing, interior & exterior |
| Application field | : Coated and uncoated cars |

SHRE reactivating shampoo is a high-tech shampoo that is specially designed for today's high-performance car washes.

This shampoo is free from polymers, waxes, and coloring chemicals that can severely degrade the hydrophobic effect that a nano layer provides.

- Pure gloss
- Reactivates nano layers ٠
- Safe to use for interior cleaning ٠
- Dilute 1:500 •





Expected Life Duration up to 2-3 months

The final touch.



Tire & Rubber Restorer

| Product ID | : TIRB0500 16oz / TIRB3000 0.8 |
|-------------------|--------------------------------|
| Consumption | : +/- 1.5-1.7oz (standard car) |
| Used for | : Tires and rubber |
| Application field | : All cars and motorcycles |

- · This ultimate rubber restorer is based on an optimized UV-resistant formula which restores tires and rubber trim to their best appearance.
- Deeply-penetrating components bring treated surfaces back to their original appearance.
- Highly durable and long-lasting gloss
- Premium finish suitable for tires and all external rubber trim.



3gal



Easy to apply with coating sponge

Applicator.



40100602

WWW.NANO-CERAMIC.COM THE NEXT GENERATION COATINGS

Actually we only want to see you once!



Bring home the ultimate in aftercare products or ask our local distributor or professional installer to maintain your verhicle with NANO-CERAMIC.

For assistance with contamination removal or help with maintenance standards and techniques, please contact your nearest service center for professional advice.

The Leader in Durability

Did you know?

That our coatings are made of pure silica sand, which is the most common element on Earth?

