

# NANO-CERAMIC®

WWW.NANO-CERAMIC.COM INDUSTRIAL PROTECTIVE COATINGS



MARINE COATINGS

**WHEN DURABILITY COMES FIRST**

# ABOUT NANO-CERAMIC®

NANO-CERAMIC® supplies professional-grade barriers that ensure vehicles, watercraft, aircraft, heavy equipment, private homes, and buildings stay in optimal condition for decades.

Many groundbreaking developments, like the introduction of small LED lamps, initially emerged from the Automotive Industry. Today, conventional lighting is nearly absent in public spaces and homes. Similarly, a significant shift toward advanced cleaning aids is taking place. If you're unfamiliar with (Thin Film) Automotive Ceramic Coatings, allow us to introduce them.

In the hospitality industry, where cleaning efficiency is crucial, our comprehensive solution, Clean & Protect, has garnered attention. It simplifies cleaning routines, saving time, and maintains indoor and outdoor surfaces in a pristine state.

Lastly, our latest innovation—Ceramic Coating and Paint—is on the verge of launch. This development from NANO-CERAMIC® is set to become popular not only among architects and property developers but also among industrial users. This permanent coatings system offers exceptional temperature resistance, along with chemical and wear resistance, making it ideal for users seeking durability and easy-to-clean properties.

## If you're interested in collaborating, don't hesitate to give us a call!

We can provide you with all the necessary information with just one click on how to become a Country Importer, a Dealer, or a Jobber.

## If you're interested in becoming a Country Importer,

At NANO-CERAMIC®, our specialized sales team can guide you through obtaining exclusive territorial rights. We provide comprehensive product training and offer advice on effective strategies for approaching your local customers.

## If you're interested in becoming a Dealer or Jobber

At NANO-CERAMIC®, we possess all the necessary information to help you kickstart your new business with our products or seamlessly integrate our offerings into your existing business model. We provide clear examples of how you can generate revenue with our products and demonstrate their versatile applications.

## Craft your profile as we shape ours.

NANO-CERAMIC® is the only company in the world with a comprehensive range of products designed to clean and protect every surface in the most durable manner.



We exclusively supply to professionals, by maintaining our brand uniformity.



Touch, feel and get convinced of our quality, prevent corrosion, and reduce CO2 emissions together with us.

# Are you seeking to take your business to new heights

Our sales team is prepared to collaborate with you to achieve just that.

CEO ANI REZKI ARIDA

# PERMANENT COATING SYSTEM

NANO-CERAMIC® Permanent Coating System is the latest generation of protective coating which transforms paint into a hard ceramic, providing superior scratch resistance and near-permanent protection for all exterior or interior surfaces.

NANO-CERAMIC Permanent Coating System is 300°C resistant and more than 4 times stronger than traditional acrylic based paint finishes, and is effectively preventing damage that would otherwise affect the appearance and integrity of the original surface.

## Zero Maintenance for decades to come!

Our NANO-CERAMIC® Permanent Coating System is rigorously tested by an independent testing laboratory according to the European standard for outdoor paints (EN 1504-2) as mentioned in our separate test report.

## Can NANO-CERAMIC® Permanent Coating System be applied on any surface?

The NANO-CERAMIC® Permanent Coating System can be applied directly or indirectly on all kinds of interior and /or exterior surfaces (absorbing and non-absorbing), such as concrete, steel, wood, acrylic, gypsum and many more.

## Is NANO-CERAMIC® Permanent Coating System self-cleaning?

NANO-CERAMIC® Permanent Coating System provides a permanent hydrophobic surface that is self cleaning, easier to clean and stays cleaner longer as water and dirt can not penetrate the ceramic layer. NANO-CERAMIC® Permanent Coating System is resistant to water vapor and water absorption.

## Can our hydrophobic coatings increase acceleration time and speed while simultaneously reducing fuel consumption?

Yes, the superhydrophobic surface has a good drag reduction effect, and the maximum drag reduction rate is up to 23.4%. In a new analysis from IPTEK ITS 2023 concerning Drag Reduction, the following conclusions have been obtained. It was found that there was an increase in acceleration, assumed to be due to drag reduction on the ship model, with a value showing a 31% improvement compared to the non-coating and a 27% improvement compared to a conventional anti-fouling coating. Click [here](#) for the IPTEK analyses

## Other conventional paints are simply not suitable for longterm harsh outdoor environments.


In order to avoid poorly maintained properties (concrete rot, chipped and weathered paint, etc) for the next decades. Our Permanent Coating System is simply the best solution to keep the value of your investment in place.

# Quality Comparison of paints technologies


In case written in bold font it means existing shortcomings in quality.

Characteristics	Acrylic Latex walls ceilings	Acrylic walls floors	Epoxy floors	Polyurethane waterproofing	CERAMIC® all surfaces
Primer	<b>Yes</b>	<b>Yes</b>	<b>Yes</b>	<b>Yes</b>	No
Adhesion Strength	<b>Poor</b>	<b>Poor</b>	<b>Poor</b>	<b>Poor</b>	Excellent
Cross Cut Test	<b>Poor</b>	<b>Poor</b>	Good	<b>Poor</b>	Excellent
Abrasion Resistance	<b>Poor</b>	<b>Poor</b>	<b>Average</b>	<b>Poor</b>	Excellent
UV Radiation Resistance	<b>Average</b>	<b>Average</b>	<b>Poor</b>	Good	Excellent
Artificial Atmospheric Agents	<b>Poor</b>	<b>Poor</b>	Good	Good	Excellent
Colour Retention	<b>Average</b>	<b>Average</b>	<b>Poor</b>	<b>Poor</b>	Excellent
Gloss Retention	<b>Poor</b>	<b>Poor</b>	<b>Poor</b>	<b>Poor</b>	Excellent
Chemical Resistance	Good	Good	Good	<b>Poor</b>	Excellent
Severe Chemical Attack	<b>Poor</b>	<b>Poor</b>	<b>Average</b>	<b>Poor</b>	Excellent
Temperature Resistance	<b>60°C</b>	<b>91°C</b>	177°C	263°C	300°C
Thermal Shock Resistance	Good	Good	<b>Poor</b>	Good	Excellent
Carbon Dioxide Permeability	<b>Poor</b>	<b>Poor</b>	Good	<b>Poor</b>	Excellent
Permeability water vapour	<b>Average</b>	<b>Average</b>	Good	<b>Average</b>	Excellent
Water Absorption Rate	<b>5-15%</b>	<b>1%</b>	<b>2%</b>	<b>3%</b>	0%
Aging at 70°C	<b>Poor</b>	<b>Poor</b>	Good	<b>Average</b>	Excellent
Adhesion Strenght Pull-off	<b>Poor</b>	<b>Average</b>	Good	<b>Poor</b>	Excellent
Impact Resistance	<b>Poor</b>	<b>Average</b>	Good	<b>Poor</b>	Excellent
Anti-Graffiti	<b>No</b>	<b>No</b>	<b>No</b>	<b>No</b>	Yes
Anti-Termite (Wood)	<b>No</b>	<b>No</b>	<b>No</b>	<b>No</b>	Yes
Hydrophobic Self Cleaning	<b>No</b>	<b>No</b>	<b>No</b>	<b>No</b>	Yes
Easy to Clean	<b>No</b>	<b>No</b>	<b>No</b>	<b>No</b>	Yes
Total Solar Reflectance (TSR)	<b>60</b> (white)	<b>60</b> (white)	60 (white)	<b>60</b> (white)	88 (white)
Expected Lifetime inYears	<b>&lt;7</b>	<b>&lt;7</b>	<5-15	<5-15	15-30+

LEARN ALL ABOUT OUR CERAMIC COATING AND PAINT







Click here!



WATCH OUR VIDEO  
AND BECOME AN EXPERT!

⏸ ⏩ 🔊 0:00 / 5:12






# CERAMIC COATING

Ceramic Coating and Paint represent the latest advancements in protective coatings. These utilize a robust matrix of molecular bonds, effectively converting applied paint into a durable ceramic layer. This transformation delivers exceptional scratch resistance and offers near-permanent protection for both interior and exterior surfaces.

The resulting layer ensures complete resistance against water vapor and absorption, preventing dirt from penetrating the coating. Moreover, these coatings boast enhanced features such as superior adhesion, reaching the deepest nano-levels. This heightened adhesion capability allows our paints to firmly bond with all organic materials. In today's challenging climate conditions, strong paint adhesion is vital for long-lasting durability.

## Nr 1 in Lowest Life Cycle Cost




# CERAMIC PAINT

For instance, imagine applying ceramic paint or coating to a concrete wall. Upon complete transformation, attempting to remove the paint would result in the concrete breaking first, rather than the paint itself. Furthermore, the treated surface gains a permanent resistance to dirt accumulation, and notably, the paint exhibits exceptional color and gloss retention.

A critical aspect of our commitment to global health lies in our use of polymer-based resins. These resins possess a relatively high molecular weight, which, when reacted and dried, minimizes the risk of leaching into groundwater. Additionally, our Ceramic Coating and Paint contribute significantly to reducing CO2 emissions. Corrosion is a primary driver of CO2 expansion, and our products help mitigate this. You can access the comprehensive independent test report EN 1504-2 on our website for detailed insights.

## Nr 1 in Color and Gloss Retention







## CERAMIC TOPCOAT

NANO-CERAMIC® SI11/SI12 colorable or SI91/SI92 Clear+ are transparent solvent based anti-scratch weather resistant ceramic coatings that are cross-linked with a ceramic activator, the coatings are available in high gloss or matte. The coatings have an excellent durability and can be applied to any organic substrate without primer. A zinc epoxy primer should be used for steel and aluminum sea going yachts or when there are problems with the substrate to be expected. Primers should meet the adhesion test ASTM D3359.

SI11 can also be used under the waterline for small and high performance vessels who not stay long time in the water. This coating provides less resistance, resulting in higher speeds, more range and a better aesthetic while cleaning and maintenance have never been easier thanks to its permanent hydrophobicity.



SI11 TRANSPARENT  
GLOSS

## CERAMIC TOPCOAT

The coatings are temperature resistant up to 300°C, permanently hydrophobic, water, dirt, dust and contaminant repellent and shorten cleaning intervals.

The coatings are resistant to all kinds of chemicals and UV radiation with superior anti-corrosion properties while having an impact resistance of 1kg/80cm.

A painted surface can even become like glass. You can sand the surface and polish back the shine with cerium oxide. Both coatings (SI11/SI12) can be colorized by an automatic dispenser which creates a uniform colorsetting. While SI91 and SI92 Clear+ are intended solely to provide the surface with a superior clear topcoat.



SI12 TRANSPARENT  
MATTE





# CERAMIC TOPCOAT

NANO-CERAMIC® SI91/SI92 Clear+ or SI11/SI12 colorable represent transparent solvent-based anti-scratch, weather-resistant ceramic coatings, cross-linked with a ceramic activator, available in high gloss or matte finishes. These coatings boast excellent durability and can be seamlessly applied to any organic substrate, making them particularly suitable for wood finishing applications. Traditional clear coats fail under UV exposure, especially in tropical climates where yearly repainting becomes necessary, which leads to dryer, weakened, and increasingly absorbing wood after each reapplication. Additionally, conventional clear coats succumb to moisture, resulting in white fading and an easy peel-off.



SI91 CLEAR+  
GLOSS

# CERAMIC TOPCOAT

In contrast, our coatings are non-absorbent and significantly more resilient. They resist various chemicals, UV radiation, and boast superior anti-corrosion properties, complemented by an impact resistance of 1kg/80cm and with a temperature resistance up to 300°C, they maintain permanent hydrophobicity, effectively repelling water, dirt, dust, and contaminants, thereby reducing refurbishing needs. For wood applications, these coatings offer versatile application techniques like brush, roller or spray gun. The coatings SI11/SI12 can be colorized by an automatic dispenser which creates a uniform colorsetting. While SI91 and SI92 Clear+ are intended solely to provide the surface with a superior clear topcoat.



SI92 CLEAR+  
MATTE





# CERAMIC TEXTURED

NANO-CERAMIC® SI31 is a clear solvent-based ceramic coating, linked with a ceramic activator, available in semi-gloss and includes sprayable nano particles. Known for its exceptional durability, this coating easily applies to any organic surface without needing a primer. Its textured design makes it perfect for anti-slip needs. This high impact resistance coating not only withstands temperatures up to 300°C but also remains permanently hydrophobic, warding off water, dirt, dust, and pollutants, reducing cleaning needs. Moreover, it shows resilience against various chemicals and UV radiation, displaying superior anti-corrosion abilities and an impressive impact resistance of 1kg/80cm. Its standout feature? Effortless colorization via an automatic dispenser, ensuring a consistently even color for every application. Beyond protection, its textured design offers a versatile solution, serving multiple surface treatment purposes.



SI31 CLEAR  
SEMI GLOSS TEXTURED


# CERAMIC TEXTURED

NANO-CERAMIC® SI35, the younger sibling, is a transparent solvent-based ceramic coating, a one-component self-cure version. This coating boasts a nearly invisible, flat finish appearance and contains sprayable nano particles. With excellent durability, it can be applied effortlessly to any organic surface without a primer. Its flat profile makes it an ideal choice for raw concrete structures, preserving their natural appearance while providing superior protection against rain and moisture. Moreover, this coating doubles as an anti-slip solution. Resistant to temperatures up to 300°C, it remains permanently hydrophobic, effectively repelling water, dirt, dust, and contaminants, thus reducing cleaning needs. It showcases resistance against chemicals and UV radiation, featuring superior anti-corrosion properties, alongside an impressive impact resistance of 1kg/80cm.



SI35 CLEAR  
FLAT MATTE TEXTURED





# CERAMIC TOPCOAT

NANO-CERAMIC® SI91/SI92 are clear+ transparent solvent based anti-scratch weather resistant ceramic coatings that are cross-linked with a ceramic activator. The coatings are available in high gloss or matte. The coatings have an excellent durability and can be applied to any organic substrate without primer.

The coatings are temperature resistant up to 300°C, permanently hydrophobic, water, dirt, dust and contaminant repellent and shorten cleaning intervals.

The coatings are resistant to all kinds of chemicals and UV radiation with superior anti-corrosion properties while having an impact resistance of 1kg/80cm. We've identified a significant market demand for natural stone coatings to prevent staining caused by lemon juice, particularly on both shiny and matte surfaces. Matte surfaces, in particular, are prone to penetration due to their porous nature.






SI91 CLEAR+  
GLOSS

# CERAMIC TOPCOAT

Our coatings serve a triple function: to prevent the 'caterpillar effect,' protect against stains, and offer a permanent water and dirt repellent surface.



SI92 CLEAR+  
MATTE

-  NO STAINS
-  PERMANENT HYDROPHOBIC
-  POROSITY MODIFIER





# CERAMIC PAINT & TOPCOAT

NANO-CERAMIC® SI11/SI12 stands as the epitome of excellence among transparent solvent-based ceramic coatings. These transparent coatings, meticulously cross-linked with a ceramic activator, provide a choice between high gloss or matte finishes, known widely for their unparalleled durability and seamless adhesion to any organic substrate without necessitating a primer. Their remarkable resilience isn't just skin-deep. With an ability to endure temperatures up to 300°C, these coatings establish a permanent shield against moisture and contaminants, maintaining a clean surface with minimal effort. Versatile and robust, they defy all chemical aggressors and UV exposure, exhibiting superior anti-corrosive properties, complemented by an impressive impact resistance of 1kg/80cm, ensuring enduring protection in various environments.



SI21 WHITE  
GLOSS



SI11 CLEAR  
GLOSS

# CERAMIC PAINT & TOPCOAT

NANO-CERAMIC® coatings, like SI21/22 in medium gloss and satin white, along with SI11/12 in transparent gloss and transparent matte, offer a unique advantage—they can be layered to create a glossy or satin matte porcelain effect, something only our coatings can do. These coatings have some impressive features: they can withstand chemical attacks, including exposure to strong acids like Hydrofluoric acid (HF), Hydrochloric acid (HCl), Hydroxycitric acid (HCA), and many other weaker chemicals. They're permanently hydrophobic, repelling water, dirt, and contaminants, which means less cleaning. Not only that, they resist chemicals and UV radiation, providing excellent anti-corrosion properties and can withstand an impact of 1kg/80cm.



SI22 WHITE  
SATIN



SI12 CLEAR  
MATTE





# CERAMIC ANTIFOULING

Our revolutionary High-Tech SI14 Ceramic Antifouling Paint features a self-polishing amphiphilic biofilm that safeguards boat hull surfaces against marine organisms.

This top-tier antifouling coating stores more and releases fewer non-biocidal agents, extending its maintenance interval to over 8 years. SI14 creates a surface with reduced resistance, enhanced fuel efficiency and enables higher speeds. Additionally, we are the sole company worldwide offering this product in transparent color as well as in traditional colors like black, red, blue, and grey.



SI14 TRANSPARENT/BLACK/RED/BLUE/GREY  
ANTIFOULING

# VISCOSITY CURING

NANO-CERAMIC®: All our paints and coatings come ready for use. In some spray applications, a small amount of our SOLV Thinner/Solvent might enhance flowability for optimal results.

For larger surface spraying, our RETA retarder can extend the flash time. Conversely, our ACCL Accelerator can be added to expedite the curing process.



SOLV  
THINNER / SOLVENT



RETA  
RETARDER



ACCL  
ACCELERATOR




# COLOR MIXING EQUIPMENT

Color mixing has never been so easy!!!

X- SMART is the modular version of the acclaimed dispenser series, extremely cost-effective and easy to operate, with a low maintenance

This color mixer has a robust and tubeless design, built with a patented pump technology (to reduce waste) and identical features, making it a highly advanced dispenser, ideally suited to reduced capacity.



Prisma-RT is a cloud-based innovative mobile color application compatible with the X-SMART dispenser. It brings the best of wireless technology without the associated investment costs in hardware. Users do not have to provide computers and other accessories or set up servers, eliminating the need for complicated and time-consuming installation and configuration. This smart Prisma-RT device helps to fix prices and taxes and can print labels via Wi-Fi.



X-SMART  
Stabilizer plates

# COLOR MIXING COLORANTS



Titanium White  
Masstone  
Tint  
844-0061 4 Litre



Quinacridone Red  
Masstone  
Tint  
844-0451 1 Litre



Scarlet Red  
Masstone  
Tint  
844-0526 1 Litre



Lead Free Orange  
Masstone  
Tint  
844-0982 1 Litre



Trans Red Oxide  
Masstone  
Tint  
844-1054 1 Litre



Red Oxide  
Masstone  
Tint  
844-1063 1 Litre



Burnt Umber  
Masstone  
Tint  
844-1352 1 Litre



Trans Yellow Oxide  
Masstone  
Tint  
844-1852 1 Litre



Yellow Oxide  
Masstone  
Tint  
844-1863 1 Litre



Lead Free Med Yellow  
Masstone  
Tint  
844-2555 1 Litre



Yelllow  
Masstone  
Tint  
844-2826 1 Litre



Organic Yellow  
Masstone  
Tint  
844-2852 1 Litre



PHTHALO Green  
Masstone  
Tint  
844-5558 1 Litre



Quinacridone Violet  
Masstone  
Tint  
844-9451 1 Litre



Lamp Black  
Masstone  
Tint  
844-9955 1 Litre



PHTHALO BLUE  
Masstone  
Tint  
844-7262 1 Litre

COLOR CARD

Residential

SI13 White Egg-Shell (Flat Finish) 15/25 (20/60°)

SI15 White Egg Shell (Flat Finish) 18/28 (20/60°)

SI21 White Gloss 49/77 (20/60°)

SI22 White Satin 33/59 (20/60°)

SI41 Textured White Semi Gloss 41/69 (20/60°)

SI42 Textured White Matte 11/21 (20/60°)

Original

Cool white

RAL 9001

Cream white

RAL 9002

Grey white

RAL 9003

Signal white

RAL 9004

Signal black

RAL 9005

Jet black

RAL 9006

White aluminium

RAL 9007

Grey aluminium

RAL 9010

Pure white

RAL 9011

Graphite black

RAL 9016

Traffic white

RAL 9018

Papyrus white

RAL 9022

Pearl light grey

RAL 9023

Pearl dark grey

RAL 1000

Green beige

RAL 1001

Beige

RAL 1002

Sand yellow

RAL 1011

Brownbeige

RAL 1013

Pearl white

RAL 1014

Ivory

RAL 1015

Light ivory

RAL 9017

Traffic black

RAL 3015

Light pink

RAL 5007

Pastel blue

RAL 4009

Pastell violet

RAL 6027

Light green

RAL 7009

Squreil grey

RAL 1036

Pearl gold

RAL 8029

Pearl copper

RAL 4012

Pearl blackberry

RAL 5025

Pearl gentian blue

RAL 6036

Pearl opal green

RAL 8016

Mahogany braun

Wood

SI11 Transparent Gloss 51/78 (20/60°)

SI12 Transparent Matte 11/21 (20/60°)

SI11 Transparent

SI11 Light

SI11 Nut

SI11 Colonial

Industrial

SI11 Transparent Gloss 51/78 (20/60°)

SI21 White Gloss 49/77 (20/60°)

SI22 White Satin 33/59 (20/60°)

Original

Transparent

RAL 1026

Lumious yellow

RAL 3020

Traffic red

RAL 9005

Jet black

RAL 1004

Golden yellow [Cat]

RAL 6002

Leaf green [J.D Deere]

RAL 7035

Light grey

RAL 7011

Dark grey

RAL 7001

Silver grey

RAL 8002

Signal brown

RAL 8025

Pale brown

Marine

SI12 Transparent Matte 11/21 (20/60°)

SI41 Textured White Semi Gloss 41/69 (20/60°)

SI42 Textured White Matte 11/21 (20/60°)

Original

Cool white

RAL 9010

Pure white

RAL 9001

Cream white

RAL 5023

Distant blue

RAL 1023

Traffic yellow

RAL 7001

Silver gray

RAL 1015

Light ivory

RAL 9016

Pure white

RAL 9001

Cream

RAL 1001

Beige

RAL 1020

Olive yellow

Military

SI31 Textured Transparent Semi Gloss 41/69 (20/60°)

SI33 Textured Black Semi Gloss 41/69 (20/60°)

Original

Transparent matte

RAL 7031

Blue grey

RAL 9005

Jet black

RAL 6005

NATO green

RAL 7024

Graphite grey

RAL 1015

Desert sand

RAL 5000

Violet blue

RAL 5012

Light blue

RAL 5002

Ultramarine blue

RAL 5013

Sapphire blue

RAL 5005

Signal blue

RAL 3000

Fire red

RAL 3004

Burgundy

RAL 7036

Platinum

RAL 9005

Jet Black

RAL 5018

Turquoise bleu

RAL 6027

Light green

RAL 5009

Dark grey camo

RAL 5002

Dark brown camo

RAL 6022

Olive drap

Very dark drap

RAL 6031

Bronze green

RAL 6451

Brunswick green

RAL 7015

Dark sea grey

RAL 5008

[RAF] Blue grey

Antifouling

SI14 Color 31/41 (20/60°)

RAL 9005

Jet Black

RAL 3001

Signal Red

RAL 5002

Ultra marine blue

RAL 7004

Signal Grey

022

023



# PRIMERS

Our super economical yet high-quality small primer series is just what you need to get the job done right.

### Our Primer Solutions

Epoxy Polyamide, Acrylic Alkyd & Acrylic Water-Based Primers are commonly available in white and grey due to their practical advantages:

### Better Coverage & Hiding Power

Grey: Ideal for medium to dark topcoats, reducing layers and highlighting imperfections.

White: Best for light-colored topcoats, ensuring color accuracy and vibrancy.

### Color Matching & Efficiency and Cost

Using a primer similar or same to the final paint color minimizes coating layers, saving time and materials, especially if use our H9 UVA Topcoat on top!

White primers (especially acrylic) offer UV resistance and are common in architectural coatings.

Grey primers are widely used in automotive and marine applications for a neutral base across different topcoat colors.

### PU Clear Primer

For wood, composites, and surfaces needing transparency, PU Clear Primer provides:

Excellent UV and weather resistance

Flexible, durable finish

Transparent base for natural aesthetics

Our primers ensure optimal adhesion, durability, and efficiency for every project—whether in construction, ship maintenance, or industrial applications. chitectural paints, wood-varnishes, waterproofing systems, and epoxy flooring for superior durability.



SIX11250 - WHITE or GREY 1.25 L / 1.2 kg

SIX15000 - WHITE or GREY 5L / 4.8 kg

Other RAL Colors 250pcs 5L

### 2K Epoxy Polyamide Primer

High quality 2 (two) component Epoxy base coating for auto-refinish, marine and industrial coating applications.

Highlights:

- High build epoxy primer
- Good rust resistance
- Very good covering power
- Very ideal for full body painting

# PREPARE COLORIZE or MODIFY SURFACES



SIX21250 - WHITE 1.25 L / 1.2 kg

SIX21250 - GREY 1.25 L / 1.2 kg



SIX31500-CLEAR 1.5 L / 1.4 kg



SIX41000 - WHITE or GREY 1 L / 1.2 kg

SIX44000 - WHITE or GREY 4 L / 4.8 kg

Other RAL Colors 250pcs 4L



SIX51000 - WHITE 1 kg

SIX51000 - GREY 1 kg

### 2K Acrylic Alkyd Surfacer

High quality 2K Surfacer 2 (two) component base coating for auto-refinish, marine and industrial coating applications

Highlights:

- Short sanding time, only 30 minutes
- Good adhesion to the substrate
- Adhesion between layers is good
- Quick close

### 2K PU Primer - Wood Filler

Polyurethane 2 (two) component non-sanding base coating for reducing uneven absorption rates in wood applications.

Highlights:

- Just 1 layer
- Quick drying
- No need to sand
- Adhesion to the substrate is very good

### 1K Acrylic Water-based Primer

High quality Acrylic 1 (one) component all surface primer

Bonds to wood, plaster, concrete, gloss enamels, hard-board, glass and tiles without sanding :

- Easy to apply, no need to mix hardener
- Rust resistant, Stain Killer suitable for light duty primer
- Use any Topcoat solvent based or water based

- Resists the growth of mold and mildew on primer film in damp, humid environments.

### 2K Polyester Putty Flexibel

High quality 2 (two) component Epoxy base coating for auto-refinish, marine and industrial coating applications.

Highlights:

- Perfect adhesion on: Metal, Wood, Fiberglass Concrete, Stone, and Plastic.
- Quik dry and sandable 20-30min.
- Fine super smooth finsh




# CERAMIC THIN FILM

Although the name Ceramic Coating or Polydimethylsiloxanes (PDMS) is already widely known among jobbers and consumers, coating on higher chemical platforms such as (Thin Film) Ceramic Coating based on cross-linked silicon-nitrogen polymers and ceramics derived from reactions of dichlorosilane with ammonia is not yet well understood.

There are many different ceramic coatings on the market today, but not all of these coatings are the same. The ingredients to make a high-tech layer are expensive and due to competition, some more competitive layers are made with fewer ingredients to achieve lower costs. We manufacture our coatings using the highest chemical platforms available today.

## Nr 1 in Hardness




# CERAMIC THIN FILM

Sometimes jobbers indicate to provide multiple layers of protection. Keep in mind that this factor does not guarantee durability. Our coatings are especially developed towards maximum hardness without losing the self cleaning properties. Hardness is most important factor against wear and tear.

NANO-CERAMIC is therefore well known in the market as the Leader in Durability and are sold through professional parties only.

Next to that our coatings are continuously tested on abrasion and wear according to ASTM D4060 and ASTM D4587 and are produced in accordance with the EU/ECHA/USA/OHSA-CANADA WHIMS Regulations

## Nr 1 in Abrasive Wear Resistance







# CERAMIC THIN FILM

This Thin Film ceramic coating is designed to seal the pores of Glass & Mirrors and is also applicable to acrylic surfaces. With a hardness of 2H (2 microns), this coating offers temperature resistance up to 850°C It's hydrophobic, repelling water, dirt, dust, and contaminants, thereby reducing your daily cleaning needs. It promotes cleaner surfaces, reducing bacteria and virus presence, and is resistant to various chemicals while being food safe.

This is a different Thin Film ceramic coating suitable for shiny tiles, chrome, ceramics, toilet seats, and covers, boasting a hardness of 9H (6 microns). This coating excels in chemical resistance, withstanding strong acids like Hydrofluoric acid (HF), Hydrochloric acid (HCl), Hydroxycitric acid (HCA), and many other weaker chemicals.

# CERAMIC THIN FILM

The coating offers exceptional features, with temperature resistance up to 850°C, making it hydrophobic and repellent to water, dirt, dust, and contaminants, reducing your daily cleaning needs. This feature promotes cleaner surfaces with fewer bacteria and viruses. Additionally, it withstands chemical attacks, including exposure to strong acids like Hydrofluoric acid (HF), Hydrochloric acid (HCl), Hydroxycitric acid (HCA), and various weaker chemicals. The coating demonstrates resistance to all types of chemicals and UV radiation, boasting superior anti-corrosion properties, and is certified food safe.

NANO-CERAMIC® SIO9 stands out as one of our thinnest Thin Film ceramic coatings, ideal for matte stones, tiles, or other matte surfaces. With a hardness of 9H (2.5 microns), it requires surfaces to be clean and sterile before application.




SIO4 CLEAR GLOSSY  
COUNTERTOP/TABLE TOP



SIO6 CLEAR  
GLASS & MIRROR



SIO7 CLEAR  
SHINY TILE & CHROME



SIO9 CLEAR  
MATTE STONE & TILE








# CERAMIC THIN FILM

NANO-CERAMIC® SI10 is a Thin Film ceramic coating designed to seal the pores of stainless steel surfaces. Maintaining the shine and cleanliness of stainless steel often requires significant effort. However, with a one-time application of SI10, fingerprints and oil become easily removable. This coating not only promotes surfaces with fewer bacteria and viruses but also ensures food safety, a critical concern for human health. Our coatings are certified food-safe; you can find the Registrar Corp's review regarding food contact available for download on our website. Additionally, SI10 can be applied to other surfaces like glossy painted kitchen panels, metal, or plastic handles. Its temperature resistance up to 850°C allows for application on gas, electric, or induction cooktops. Moreover, with a hardness rating of 9H (6 microns), the coated surfaces become highly scratch-resistant, maintaining a pristine appearance over time.



SI10 CLEAR  
STAINLESS & PANEL



SI24 CLEAR MATTE  
COUNTERTOP/TABLE TOP



NANO-CERAMIC® SI04/SI24 is a Thin Film ceramic coating. Marble-No-Etching is a real game changer; it also boasts other exceptional features, rendering surfaces water, dirt, dust, and oil repellent, thus minimizing the need for daily cleaning. It demonstrates remarkable resistance against chemical attacks, enduring exposure to potent acids like Hydrofluoric acid (HF), Hydrochloric acid (HCl), Hydroxycitric acid (HCA), Citric Acid (C6H8O7), and various other weaker chemicals. Moreover, with a hardness rating of 9H (6 microns), the coated surfaces become highly scratch-resistant, maintaining a pristine appearance over time. Prior to application, it's essential to ensure that the surface is clean and sterile. It can be used to protect all kinds of tabletops, including marble, granite, laminated, vinyl, varnished, and painted surfaces.

# CERAMIC THIN FILM





## CERAMIC THIN FILM

These two coatings are polar; The Glossy Finish is 6-8 microns and Matte Finish or Satin Finish is 2.5 microns thick, both are two high-performance thin coatings carefully designed for painted surfaces. Typically, Paints have a lifespan of up to 10 years, which can be extended to 15 years with premium PVDF coating. However, in all cases prolonged exposure results in color fading and loss of original luster over time, as shown by a 2015 American Paint Association study conducted by Arkema's Kurt Wood, through 20 years of weather testing in Florida ([click here](#)) for more the information. It is important to note that our thin coating can only be applied if the existing surface coating is in good condition (not brittle). Waiting for this moment may result in costly repainting. face coating is still in good condition (non-brittle). Waiting until this point could result in costly repaints.



## CERAMIC THIN FILM

Our Thin Film Coatings can be applied easily with a simple 'clean and wipe' method they not only restore the surface's original luster but also offer enhanced UV protection, boasting an impressive 9H hardness to resist micro-scratches. NANO-CERAMIC® Thin Film Coatings significantly extend the lifetime of painted surfaces by an additional 15-25 years or more, owing to their user-friendly application and reapplication for continuous protection. Moreover, these coatings demonstrate temperature resistance up to 850°C effectively repelling water, dirt, dust, and contaminants, thereby reducing cleaning and maintenance expenses. This level of protection not only preserves aesthetic appeal but also enhances customer attraction, ensuring a secure investment.





PALLETIZE AND LABEL

110cm

15cm

80cm

120cm

Seaworthy Box  
Dimensions W52 x D44 x H39cm  
Permissible Gross Weight: Max 40kg  
12 pcs / Pallet if max 150cm

Seaworthy Box  
Dimensions W52 x D44 x H35cm  
Permissible Gross Weight: Max 40kg  
12 pcs / Pallet if max 150cm

Seaworthy Box  
Dimensions W52 x D44 x H25cm  
Permissible Gross Weight: Max 40kg  
20 pcs / Pallet if max 150cm

Seaworthy Box  
Dimensions W52 x D44 x H15cm  
Permissible Gross Weight: Max 40kg  
36 pcs / Pallet if max 150cm

OTHER SEGMENTS

NANO-CERAMIC®  
WWW.NANO-CERAMIC.COM INDUSTRIAL PROTECTIVE COATINGS

BUILDING - PAINTS & COATINGS  
WHEN DURABILITY COMES FIRST

AUTOMOTIVE - COATINGS  
WHEN DURABILITY COMES FIRST

BUILDING

AUTOMOTIVE

iPDF  
Interactive PDF



PT Nano Ceramic Internasional  
Ruko Inkopal Blok B5-6., Jl. Raya Boulevard Barat.  
Kelapa Gading. Jakarta Utara 14240  
Indonesia,  
Email: [info@nano-ceramic.com](mailto:info@nano-ceramic.com)