

NANO-CERAMIC®





WWW.NANO-CERAMIC.COM THE NEXT GENERATION COATINGS



Solar Panels Clean & Protect

Clean & Protect **Solar Panels**



03

Wash
Non filming



04

Stain
remover



05

Scrub
non scratch




06

Steril Cleaner
pretreatment



07

Thin Film
repellent
coating



APPLY
MOVIE SCAN
OR CODE






SOLA

Solar Panel wash non filming



Product ID : SOLA1000 32oz / SOLA5000 1.32gal
SOLA020L 5gal
Consumption : 0.7oz : 2.5gal Water
pH Value : 6.9-7.1
Used for : Solar Panel Cleaning
Application field : Solar farms, hotels, office buildings,
residential housing, airports, medical centers,
schools & more.

-  **Easy to apply**
-  **Easy to clean**
-  **Stays cleaner longer**

Solar Panel Wash is an advanced technology, multi-purpose foaming cleaner containing a rinsing aid that will leave hard surfaces nearly dry after rinsing with clean water.

To assure the "easy-to-clean" effect that our nano layers provide, surfaces should be free of dyes, waxes or polymer sealants.

This multi-purpose cleaner contains no polymers or colors and will not leave a film of chemicals behind on the surface.

100% Safe to use especially for solar panel cleaning can also be used in automatic wash systems.

Dilution ratio 1: 500 (super economical)


Applicator:

40100703



Recommended Tools:





SOLB

Solar Panel stain remover

Product ID	: SOLB01000 32oz / SOLB5000 1.32gal SOLB020L 5gal
Consumption	: +/- 0.007oz /ft ²
pH Value	: 8.2-9.0
Used for	: Solar Panel Cleaning
Application field	: Solar farms, hotels, office buildings, residential housing, airports, medical centers, schools & more.

This fully biodegradable stain remover is made with a superior synergistic blend of environmentally friendly acids to boost cleaning performance and potential cost-savings. SOLB is ideal for removing mineral deposits from glass, steel, porcelain, and many other materials.

- SUPB is anti-corrosion and safe to use on all hard surfaces.
- SUPB prevents the deposition of soap residue and can be used to dissolve limescale formed by hard water.
- GHS label: NO health hazard label or acute toxicity
- Readily biodegradable (OECD)

Recommendation: Nano Ceramic International Guidelines, Solar panel cleaners should have a pH of 6.5 – 7.5. Canadian Solar recommends water with a pH of 5.5 – 8.5. Product pH Values SOLA: 6.9 – 7.1, SOLB: 8.2 – 9.0 Wash panels with SOLA, then apply SOLB while still wet. This ensures the surface pH remains within the manufacturer's recommended range.



Easy to Apply



Safe for skin



Non-corrosive



Dissolves calcium
and magnesium

Applicator:

40100703



Application: Wet the surface, and wait 1 minute so that the calcium and magnesium can dissolve. Wipe away any residue and, if necessary, use our SOLC Scrub Cleaner to clean it more deeply.



SOLC

Solar Panel non scratching scrub

Product ID	: SOLC1000 32oz / SOLC5000 1.32oz
Consumption	: +/- 0.007oz /ft ²
pH Value	: 6.4-6.6
Used for	: Solar Panel Cleaning
Application field	: Solar farms, hotels, office buildings, residential housing, airports, medical centers, schools & more.



Non-scratching

Scrub Pretreatment Cleaner is a smooth rubbing compound suitable for scrubbing solar panel materials like glass and aluminium without scratching the surface.

Applicator:

40100703



Leaves no scratches behind after treatment



SOLD

Solar Panel steril cleaner pretreatment

Product ID : SOLD1000 32oz / SOLD5000 1.32gal
SOLD020L 5gal

Consumption : +/- 0.01oz/ft²

Used for : Solar Panel Cleaning

Application field : Hotels, office buildings, residential housing,
airports, medical centers, schools & more.

100% Steril with nano interlock technology
(active lifting encapsulate the grease from the surface)

- Surface cleaning and residue removal.
- Pretreatment cleaner for the application of solar panel thin film repellent coating.



**Easy to apply
spray &wipe**



Remove grease



100% Steril

Applicator

40100703



100% Steril



SOLE

Solar Panel Thin film repellent coating

Product ID : SOLE1000 32oz / SOLE5000 1.32gal
SOLE020L 5gal

Consumption : +/- 0.007oz /ft²

Used for : Solar Panel Cleaning

Application field : Hotels, office buildings, residential housing,
airports, medical centers, schools & more

SOLE is an ultra long-lasting invisible surface coating which forms semi-permanent molecular bonds with the surface. The main function of treating hard surfaces with SOLE is to seal tiny pores, making it a smoother surface that will repel water and contaminants.

- Two simple steps: Clean with our Steril Cleaner and apply.
- Makes the surface much easier and quicker to clean, and the adhesion of dirt is reduced drastically.
- This coating has an outstanding hydrophobic effect, and the surface stays cleaner longer. Cleaning intervals as well as the formation of water spots will be greatly reduced.



Easy to apply



Cut cleaning costs



Anti-water spot



**Super hydrophobic
Anti static**



**Self-cleaning
Stays cleaner longer**

Applicator

40100703



Will last 12 washes cycles

NANO-CERAMIC®

WWW.NANO-CERAMIC.COM THE NEXT GENERATION COATINGS

- Influence of Dirt Accumulation on Performance of PV Panels
- Efficiency of Solar PV Panels Using Hydrophobic Coatings

Water droplets uncoated	- 4%	efficiency reduction
Water Spots	-25%	efficiency reduction
Dust Sand Moss accumulation	-84%	efficiency reduction
Coated panels	+5%	efficiency improvement
Easier to clean	? \$	cleaning interval / reduction

Learn more



Increase Efficiency

Did you know?

*That our coatings are made
of pure silica sand, which is
the most common element
on Earth?*

Dealer

